

SOLAR ENERGY TECHNOLOGY



ETC ENERGY

Solar Energy Delivery Models
 > Introduction

Gerrit Jacobs

14-18 June 2010
 Jakarta
 Indonesia

Training Course on Renewable Energy Part II - MEMR
 CASINDO

ETC

What is a Solar Energy Delivery Model?

A Solar Energy Delivery Model deals with the supply of energy to users

It involves:

- Technology (what?)
- Finance (how?)
- Implementing body (who?)
- Policy (why?)

4

ETC

What do we want to Achieve?

Delivery of off-grid sustainable energy services to the rural population in the best, i.e. most efficient, effective manner with the biggest possible impact.

- Electricity (& LPG)
- Not a pilot project: integral part of rural electrification

WHAT DOES THE CUSTOMER WANT ?

5

ETC


Look at Alternatives

- **Grid Supply**
- **GenSet**
- **Hydropower**
- **Windgenerator**
- **Biodigester**
- **Solar Heater**
- **Efficient Stove**

- **Grid-Connected PV**
- **Mini-Grid PV**
- **Community Systems**
- **Solar Home Systems**
 classic, comfort, AC, DC
- **PV-Pumps**
- **Small-PV**
 Lanterns, Battery Charging

ETC

Solar Energy Delivery Model is Complex



ETC

Barriers

- Information & perception barriers
- Financial barriers
- Technical barriers
- Legal/Policy barriers
- Institutional/Organisational barriers

8

Information & Perception Barriers

- Insufficient knowledge technologies & technological developments
- Information not easily accessible
- Wrong perceptions
- ➔ Reinventing the wheel
- ➔ Difficulties financing
- ➔ Unrealistic expectations consumers

9

Financial Barriers

- Unsustainable donor-funded consumer prices
- Unavailability of credit for private sector
- Level & structure financial payments for consumers not conducive
- ➔ Market distortion
- ➔ Slow growth renewable energy market

10

Technical Barriers

- Complex and/or inappropriate technologies
- Unproven technologies
- Inappropriate system sizing & system design
- ➔ High cost systems
- ➔ Consumer disappointment

11

Legal/Policy Barriers

- Weak incentives renewable energy
- ➔ Unfavourable competition terms between grid electricity and renewable energy

12

Institutional/Organisational Barriers


- Donor-funded pilot project format
- Renewable energy not integral part rural electrification efforts
- Lack of integrated planning
- Weak linkage public and private sector
- Insufficient public sector capacity
- ➔ Supply driven & not easily replicable
- ➔ Disjointed planning & implementation
- ➔ Lack of institutional ownership

13

Conclusions on Barriers


- Barriers are inter-linked
- Delivery Model has to tackle all barriers in a comprehensive way

14



- ### Profile Average Customer
- Poor, living near or on subsistence level
 - Priority is food security & survival household
 - Low and mostly irregular sources of cash income
 - Minimises risks and avoids uncertainties
 - Only partially integrated in market economy
 - Limited access to information

- ### Energy Options People Use
- Cooking
 - Spatial Heating
 - Lighting
 - Water Heating
 - Entertainment
 - Refrigeration/Ironing
 - Income Generating Activities



- ### Resource Patterns
- Three Important Issues:
1. Want new resource but do not necessarily need it
 2. When new resource taken up existing resources still used
 3. Every time new resource taken up (marginal) increase energy expenditure budget

- ### Stakeholder Roles
- Which bodies should play which roles in the proposed delivery model?
 - How can sustainable supply-demand linkages be created?

Three Important Premises

1. Delivery model is *not* a project proposal but an integrated part of the existing rural electrification program
2. Actual delivery of energy & related services is *private sector* role
3. *Public sector* retains overall supervising responsibility

21

Proposed Roles

Government & Parastatals

1. Enabling Legal, Policy, Subsidy & Taxation Framework
2. Supervision & Tendering Requirements & Procedures
3. Standardisation & Certification
4. Monitoring & Quality Assurance
5. Demand Assessment

22

Proposed Roles

NGO's, CBO's, Private Sector & Finance

5. Demand Assessment
6. Awareness Creation
7. Delivery
8. Training and Training Needs Assessment
9. Operation & Maintenance


23

Technical Options

- Solar lanterns and small portable systems
- Solar Home Systems
- Central Battery Charging Stations for consumptive use
- Centralised PV systems and PV-gas hybrid systems for productive and consumptive use
- LPG for heating and cooking

24

Different Types of Solar Lanterns and Panels





25

Portable Solar System (1)



26



ETC

What can it do for you? (1)

Technology	Description	Typical daily Energy Available	Appliances that may be powered
Solar Lantern	Light, battery and electronics integrated in one unit. One light of typical 3W-9W. Battery typical 4Ah-7Ah. Solar panel typical 3Wp-10Wp.	12Wh to 40Wh	1 light
Portable Solar System	Battery and electronics are integrated in one unit. Often possibility for radio/hifi connection. Two lights of typical 3W-9W each. Battery typical 5Ah-12Ah. Solar panel typical 5Wp-15Wp.	20Wh to 60Wh	1 to 2 lights radio/hifi
Small to Medium SHS DC System	Often individual components. 2 to 6 lights typical 7W-13W each. One to three batteries of typical 100Ah each. One to three solar panels of typical 50Wp each.	200Wh to 600Wh	2-6 lights, radio/hifi
Large SHS AC System	Often individual components. 6 to 12 lights typical 7W-13W each. Four to ten batteries of typical 100Ah each. Four to twelve solar panels of typical 50Wp each.	800Wh to 2.4 kWh	6-12 lights, radio/hifi, VRC, TV, fan, sewing machine and other small power appliances, small fridge for largest systems


29

ETC

What can it do for you? (2)


Technology	Description	Typical daily Energy Available	Appliances that may be powered
Battery Charging Station	Typical central PV system of 250Wp-1kWp for 10 to 50 users. Users have batteries ranging from 20Ah-50Ah. Users connect 1 or 2 lights to the battery and radio/hifi.	50Wh to 150Wh per user	1 to 2 lights radio/hifi
PV minigrd	Central PV system. Systems are sized for a particular application. Typical system sizes of 1kWp-20kWp. Typical 10 to 50 users.	4kWh-80kWh	6-12 lights, radio/hifi, VRC, TV, fan, sewing machine and other small power appliances, small fridge for largest systems
PV/LPG Hybrid System	Central hybrid systems powered by PV and LPG. Systems are sized for a particular application. Typical generator sizes of 10kW-50kW. Typical 20 to 100 users.	Mainly depends on the size and running time of the generator	Lights and most domestic appliances.

30



PV Power Station for Mini-grid ETC


- Autonomous PV
- or PV - diesel hybrid operation
- 6 kW Array => 24 kWh/day
- 20 x ASE 300 Solar Panels
- 48 V DC
- 20 foot container



LPG in the Energy Package ETC


- For cooking and water heating
- Replacement of fuel wood
- Existing distribution channels do not reach rural areas
- What mechanisms are required to supply gas to rural areas?

35



Financing Mechanisms ETC


- ~~Donations~~
- Cash
 - Cash & Carry
 - Cash sale
- Savings
- Lay-by
- Credit
 - Dealer credit
 - Credit institution
- Hire-purchase Lease
- Fee-for-Service




37

Solar Home System Cost Structure ETC

Installation: total 425 US\$ Life time costs: total 795 US\$





Life time: 20 years, 3 years, 10 years, 5 years

No costs for financing calculated
Source: World bank 1996 (installation cost), Indonesia, 5,000 systems per year

38

Technology and Finance Matrix ETC

Financing Mechanism	Technology Option				
	Social Consumptive use		Economic Productive and consumptive use		
	Solar Lantems & Portable Systems	SHS	PV-Battery Charging Station	PV mini-grid	PV-LPG mini-grid
Donations					
Cash					
Lay-Bye					
Savings					
Credit					
Fee for Service					

39

Technology and Finance Matrix ETC

Financing Mechanism	Technology Option				
	Social Consumptive use			Economic Productive & Consumptive use	
	Solar Lanterns & Portable Systems	SHS	PV-Battery Charging Station	PV mini-grid	PV-LPG mini-grid
Donations	✓	✓	✓	✓	✓
Cash	✓	✓			
Lay-Bye	✓	✓			
Savings	✓	✓			
Credit	✓	✓			
Fee for Service	✓	✓	✓	✓	✓

40

What does it Cost? ETC

Apples & Oranges

Costs:

- Equipment
- Installation
- Maintenance
- Replacement
- Service
- Transaction
- Training

41

Cost of electricity grid extension, per single household ETC

677 - 1,852 US\$	Brazil, 2001, different provinces
1,530 US\$	Kenya, 1970 - 2000, average value from 30 years and 77,000 new connections
830 - 3,780 US\$	China, 2002, village 30 km from grid, 300 resp. 60 households

Interests for loans, cost of electricity production, revenue collection, grid operation and maintenance not included!

42

Household electrification ETC

Empirical values for daily electricity use in (grid-) electrified low income rural households:

0.27 kWh/day	Senegal (Lorenzo, 1997)
0.23 - 0.35 kWh/day	Vietnam (Tuan & Lefevre, 1996)
0.5 kWh/day	Indonesia (Cabraal, Cosgrove-Davies & Schaeffer, 1998)
0.33 - 0.47 kWh/day	Brazil (Dos Santos & Zilles, 2001)
10 kWh/day	Germany

43

Income Generating Activities (1) ETC

Sector	Application
Agriculture	<ul style="list-style-type: none"> • Pumping for irrigation, livestock watering, potable water • Electric fences • Lighting of poultry /livestock • Veterinary services (refrigeration, lighting, etc.) • Lighting for fishing • Fish tank aeration • Refrigeration of agricultural products, meat, dairy, fish • Pest control
Workshops	<ul style="list-style-type: none"> • Tailor shop • Bicycle repair workshop • Handicrafts workshop (basket weaving, etc) • Office equipment (computers, etc.)

44

Income Generating Activities (2) ETC

Sector	Application
Others	<ul style="list-style-type: none"> • Village cinema (TV + VCR) • Battery charging station • Advertising kiosks • Lighting of billboard • Karaoke bar • Internet service • Cellular telephone service • Water purification PV to power UV or ozone water • Water desalination reverse osmosis or other water desalination

45

Many Stakeholders Involved

- Government
- Suppliers
- NGOs
- Installers
- Utilities
- Financing Institutions
- Academe
- Foreign Assistance
- Manufacturers

Project Implementation Chart

- design system configuration
- develop payment scheme
- identify site
- conduct information drive
- get, evaluate applications
- appraise site, check options
- install demo system
- enroll applicants
- secure financing
- procure material
- test components
- train technicians
- collect BOS payment
- install systems
- train users
- organize maintenance
- organize collection
- supervise operation

START
WITH
THE
USER !



Key elements of a sustainable Energy Delivery Model


- Customer satisfaction
- Affordability
- Flexibility
- Effective supply and service chains
- Profitability

The rewards are high

- Improved Service
- Rural Employment
- Productivity of Rural Citizens
- Productivity of Rural Energy Sector
- Technical Advancement, New Economies
- The Least Cost Service to Rural People

... but it is not available for free !

QUESTIONS ?



Gerrit Jacobs
ETC Energy

winter@etcnl.nl
PO Box 64
3830 AB Leusden
the Netherlands
T: +31 33 432 6025
F: +31 33 494 0791